
SOIL SURVEY OF PAYNE COUNTY, OKLAHOMA

OSURR Section 5





SOIL SURVEY OF PAYNE COUNTY, OKLAHOMA

OSURR Section 5

MAP INFORMATION MAP LEGEND Soil Map Units Source of Map: Natural Resources Conservation Service Cities Web Soil Survey URL: http://websoilsurvey.nrcs.usda.gov **Detailed Counties Detailed States** Coordinate System: UTM Zone 14 Interstate Highways Roads Soil Survey Area: Payne County, Oklahoma Rails Spatial Version of Data: 2 Water Soil Map Compilation Scale: 1:24000 Hydrography Oceans AYAYAY Escarpment, bedrock vavavav Escarpment, non-bedrock Gulley IIIIIIIIIII Levee Slope \odot Blowout \boxtimes Borrow Pit Clay Spot Depression, closed **Eroded Spot** Gravel Pit Gravelly Spot Gulley Λ Lava Flow Map comprised of aerial images photographed on these dates: Landfill 2/20/1995; 2/21/1995 Marsh or Swamp Miscellaneous Water Rock Outcrop Saline Spot Sandy Spot Slide or Slip Sinkhole Sodic Spot The orthophoto or other base map on which the soil lines were compiled and Spoil Area digitized probably differs from the background imagery displayed on these maps. Û Stony Spot As a result, some minor shifting of map unit boundaries may be evident. Very Stony Spot

•

Perennial Water Wet Spot

Map Unit Legend Summary

Payne County, Oklahoma

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
2	Coyle loam, 1 to 3 percent slopes	10.2	3.1
3	Coyle loam, 3 to 5 percent slopes	0.2	0.1
11	Stephenville-Darnell complex, 3 to 8 percent slopes	51.6	15.5
21	Kirkland silt loam, 1 to 3 percent slopes	5.4	1.6
25	Grainola-Lucien complex, 1 to 5 percent slopes	68.3	20.6
26	Grainola-Lucien complex, 5 to 12 percent slopes	23.8	7.2
32	Harrah-Pulaski complex, 0 to 8 percent slopes	0.7	0.2
40	Grainola-Ashport complex, 0 to 8 percent slopes	20.4	6.1
49	Renfrow and Grainola soils, 3 to 8 percent slopes, severely eroded	19.3	5.8
54	Stephenville fine sandy loam, 3 to 5 percent slopes	0.4	0.1
61	Mulhall loam, 3 to 5 percent slopes, eroded	20.5	6.2
62	Mulhall loam, 3 to 5 percent slopes, gullied	8.9	2.7
65	Grainola clay loam, 3 to 5 percent slopes	6.1	1.8
72	Zaneis-Huska complex, 1 to 5 percent slopes	6.6	2.0
74	Coyle-Lucien complex, 3 to 5 percent slopes	58.7	17.7
76	Coyle and Zaneis soils, 3 to 5 percent slopes, severely eroded	29.1	8.8
W	Water	1.5	0.5

